
ELECTRIX 211

ELECTROTECHNICAL TAPES

TAPE STRUCTURE



PRODUCT DESCRIPTION

Backing: Plasticized PVC. Adhesive:

- Synthetic rubber.
- Colour:
- Black, red, blue, brown, violet, white, green, yellow, gray, yellowgreen-

TECHNICAL DATA		
Physical Properties	Unit	Value
Total thickness	mm	0.13
Breakdown voltage	kV	min. 5.2
Temperature range	⁰ C	-10 ÷ 85
Tensile strength	N/cm	min. 13
Adhesion to steel	N/cm	min. 1.0
Elongation	%	min. 100

Product meets the applicable restrictions of RoHS Directive and Reach regulations, is VDE certified.



ANTICOR Sp. z o.o. holds ISO 9001.

ELECTRIX 211

PVC Electrical Tape.

APPLICATION

- Wrapping and waterproofing wire harnesses.
- Repairing damaged isolations.
- Isolation and bundling of wires.
- Marking wires by colors.

FEATURES AND ADVENTAGES

- Weather resistance.
- Waterproof.
- Self-extinguishing.
- High adhesion.
- Very flexible, convenient to use.
- Excellent electrical insulation.

USAGE

- Apply to the dry, clean and degreased surface, free from other contaminants.
- Optimal application temperature: $10 \div 40^{\circ}$ C.
- Wrap the tape with min. 50% overlap.
- During application use tension and pressure to smooth the tape by hand.

STORAGE

- To ensure the maximum product performance, store products in a dry, ventilated area in original packaging away from direct sunlight.
- Protect the products in original packaging against mechanical damage.
- The recommended storage temperature:
- $-5 \div 40^{0}$ C.

Copyrights ©ANTICOR Sp. z o.o. All rights reserved



REV1-042015